
The Publish Menu

The "Publish Show" Button

("Export Show")

If selected from "Settings/Preferences/Toolbars", a "Publish Show" button can be added to the Main Window toolbars. This provides further information on the "Publish" options and these are described below.



The Options are:

HD and 4K Video

PTE AV Studio supports Output of UltraHD 4K video (3840 x 2160).

Creates high quality MP4 Video File (H.264)

The Project should be saved before clicking on the option - if you have not done this you will be asked

Last update: 2023/08/11 10:49 en-us:11.0:main_menu_1:publish https://docs.pteavstudio.com/en-us/11.0/main_menu_1/publish?rev=1691750986

to Save the Project.

🜠 Creating HD and 4K video	X I Creating HD and 4K video	×
Creating a video file (in H.264 format) for PC, Mac, TV and Playstation. Recommended players for playback are: Media Player Classic Homecinema, VLC and others. Presets 1920x1080 High quality Gop Pan Scan Disabled Motion Blur Disabled Hardware acceleration	Creating a video file (in H.264 format) for PC, Mac, TV and Playstation. Recommended players for playback are: Media Player Classic Homecinema, VLC and others. Presets 1920x1080 File (Op) 1024x768 1280x720 1280x960 1440x1080 1920x1080 3840x2160 Custom	
Video file name D:\Videos\Project1 (17).mp4	Video file name D:\Videos\Project1 (17).mp4	
Preview 10 💼 s OK Cancel	Preview 10 🖛 s OK Canc	el

The available options are shown above.

- Normal settings for TV playback are 1920×1080 and High Quality
- All of the presets work well
- Please be aware that some older TVs do not support 60p MP4

📷 Creating HD and 4K video	\times
Creating a video file (in H.264 format) for PC, Mac, TV and Playstation. Recommended players for playback are: Media Player Classic Homecinema, VLC and others.	
Presets	
Pan Scan Disabled Hardware acceleration	
Video Width 1920 🚔 👌 Height 1080 🚔 FPS 60p 🔻	
Mode Quality Quality 100 🗨 🗌 Lossless compression	
Audio	
Bit rate 256 💌 Sample rate 44100 💌	
Video file name D:\Videos\Project1 (17).mp4	
Preview 10 🗭 s OK Cance	2

Clicking on Custom reveals further options:

Quality Mode - Set Quality 0-150

Bit Rate Mode - Set a Bit Rate

The Video File name is the same as the Project Name and the location will default to the same as the Project location.

Motion Blur

Motion Blur simulates an exposure in a video camera and fast moving objects will be blurred.

Motion Blur option is applied only to animations of PTE objects (not for video clips).

You can adjust 2 parameters:

1. Exposure (in milliseconds). We recommend 10 ms.

2. This parameters affects to a quality of Motion blur. A higher value gives better visual result. I recommend to use 20-30 frames for normal cases.

Using of Motion Blur option slow downs video encoding by 2-3 times.

All professional video editors offer Motion Blur option for video output. All professional computer graphics clips and movies use Motion Blur effect.

You can use the PTE project to test Motion Blur: https://files.wnsoft.com/test/Push.zip

Last update: 2023/08/11	on usili Ormain monu	1:publish https://docs.pteavstudio.o	com/on us/11 0/main monu	1/publich2rov-1601750096
10:49	en-us.11.0.main_menu_		Joni/en-us/11.0/main_menu	_1/publishirev=1091/30980

Seating HD video for PC and Mac	×
Creating a video file (in H.264 format) for PC, Mac, Playstation and Xbox. Recommended players for playback are: Media Player Classic Homecinema, VLC and others.	
Custom ▼ Pan Scan Disabled ✓ Hardware acceleration	
Width 1920 🗧 🕯 Height 1080 🗧 FPS 30p 🔹 Mode Quality 🔹 Quality 100 💌 🗆 Lossless compression	
 ✓ Motion Blur Exposure 30 + ms Frames 20 + Bit rate 256 ▼ Sample rate 44100 ▼ 	
D:\1\Motion Blur\Album.mp4	-
Preview 10 s OK Cancel	

Examples:





Hardware Acceleration

With "Hardware acceleration" option PTE AV Studio uses hardware video encoder from graphics card (NVIDIA, AMD or Intel).

Benefits: usually works faster, CPU is not used, CPU stays cool and silent.

Negative effect: visual quality worse, file size larger by 5-10%.


Last update: 2023/08/11 10:49	en-us:11.0:main_menu_1:publish https://docs.pteavstudio.com/en-us/11.0/main_menu_1/publish?rev=1691750986
----------------------------------	---

Hardware acceleration gives better visual quality on NVIDIA graphics (Geforce 1030 or newer) than on AMD / Intel.

It is recommended to use Hardware acceleration for a draft (or preview). Or when you encode very long project and you want to save time. Hardware encoder is especially useful for producing 4K video to save time.


🚮 Export Slides to Imag	es	×
Range Format Width	 ○ Selected slides ○ All slides ○ Current position JPEG ▼ Quality 100 ▼ 1920 ♀ Height 1080 ♀ 	
✓ Transparent backg	round	
Output		-
Folder	D:\Documents\PROJECTS\	
File name	Slide	
	OK Cancel	

Note the Information:



HW encoder is available in Macs with Apple Silicon chips (M1, M2, etc).

Click Convert to start the encoding. The Progress Window is shown below:



When the encoding is completed you can view the video on a PC. Media Player Classic - Home Cinema is recommended for PC. You can also transfer the file to a USB device and view the video with the USB Device plugged into a suitably equipped Television or Blu Ray Player connected to a Television via HDMI.

Video For Mobile Devices

Creates a Video File for smartphone and tablets

Last update: 2023/08/11 10:49	en-us:11.0:main_menu	1:publish https://docs.pteavstudio.com/en-us/11	.0/main_menu_1/publish?rev=169175098
----------------------------------	----------------------	---	--------------------------------------

1	Creating video for mobile devices	\times			
	Creating a video file (in H.264 format) for tablets and smartphones. Import video into iTunes for iPad, or copy video to Android tablet using USB connection.				
Р	resets				
	Tablet (1280x720)				
	iPhone 5, 5S (1136x640) iPhone 6 (1334x750) iPhone 6 Plus (1920x1080) iPad (1024x768) iPad Retina (1920x1080) Tablet (1024x600) Tablet (1024x768) Tablet (1280x720) Tablet (1280x800)				
	Tablet (1920x1080) Custom				
	ideo file name				
	Preview 10 s OK Cancel				

The Preset Device Options (above):

- iPhone 5, 5s
- iPhone 6
- iPhone 6 Plus
- iPad (1024×768)
- iPad Retina (1920×1080)
- Tablet (1024×600)
- Tablet (1024×768)
- Tablet (1280×800)
- Tablet (1920×1080)
- Custom

Creating video for mobile devices	×		
Creating a video file (in H.264 format) for tablets and smartphones. Import video into iTunes for iPad, or copy video to Android tablet using USB connection.			
Presets	_		
Tablet (1280x720)]		
Pan Scan Disabled High quality Medium quality Low quality Hardware acceleration			
Video file name			
D:\Documents\PROJECTS\Project1.mp4	—		
Preview 10 🗭 s OK Cancel			

The Preset Quality Options (above):

- High Quality
- Medium Quality
- Low Quality
- Pan and Scan (Enabled or Off)

AVI Video File

Creates AVI File with SD or HD Quality

The Presets:

Last update: 2023/08/11 10:49	en-us:11.0:main_menu_1:publish https://d	locs.pteavstudio.com/en-us/11.0/main_men	u_1/publish?rev=1691750986
----------------------------------	--	--	----------------------------

1	Creating AVI video file				×
Creating a video file (in AVI MPEG4-ASP format) for PC, Mac, and any hardware player. Recommended players for playback are: Media Player Classic Homecinema, VLC and others.					
	1280x720 -	High quality	→ 30p		-
	640x480 800x600 1024x768 1280x720 1280x960 1440x1080 1920x1080 Custom	High quality Medium quality Low quality	24p 25p 30p 50p 60p		
	ideo file name D:\Documents\PROJECTS\Pro	oject1.avi			
	Preview 10	s		ок	Cancel

The Presets for Resolution, Quality and Frame Rate are shown.

For the more adventurous, click on Custom:

🜠 Creating AVI video file	×
Creating a video file (in AVI MPEG4-ASP format) for PC, Mac, and any hardware player.	
Recommended players for playback are: Media Player Classic Homecinema, VLC and others.	
Presets	-
Custom 🔻	
Pan Scan Disabled	
Video	
Width 1920 🚖 👌 Height 1080 🚔 FPS 30p 🔻	
Mode Quality 🔻 Quality 70 💌	
Motion Blur	
Audio	-
Bit rate 256 💌 Sample rate 44100 💌	
Video file name ————————————————————————————————————	-
D:\Documents\PROJECTS\Project1.avi	-
Preview 10 s OK Cancel	

Executable File For PC


- Best Quality for PC in an EXE File (F9)
- Give the EXE a Name and Location and press Save.
- Double click on the Saved EXE to run.

Safe Executable File For PC

- EXE File in ZIP with digital signature
- Give the EXE a Name and Location and press Save.
- The result is an Application and a digitally signed ptshow file in a Zipped Folder.
- This can safely be uploaded to a sharing site etc for Download. The Zipped File can be Extracted to a Folder in Windows and the slideshow can be run from the Application File.

Export Slides as Images


Last update: 2023/08/11 10:49 en-us:11.0:main_menu_1:publish https://docs.pteavstudio.com/en-us/11.0/main_menu_1/publish?rev=1691750986



📶 Export Slides to Imag	ges	×
Range Format Width I Transparent backy Output	Selected slides JPEG Quality 1920 Height 1080 ground	
Folder File name	D:\Documents\PROJECTS\	
	OK Cancel	

- Range choose from Selected Slides, All Slides or Current Position of Cursor for a single Slide
- Format choose from PNG or JPG and set quality
- Set Width and Height of output
- Choose Transparent Background (on or off) for PNG output
- Choose Folder and File Name

The MAC Publish Show Menu



Command line options

Command line parameters in executable shows for Windows

You can pass some parameters for your EXE shows created in PicturesToExe.

For example,

myshow.exe -slide 5 - run slideshow from slide No. 5.

myshow.exe -slide x - run slideshow from slide No. x.

myshow.exe -cover - enlarge slide to cover all screen without black strips. For example, when screen is 16:9 and slideshow 4:3.

myshow.exe -display x - this parameter allows to run a show on secondary display. For example: - display 2

myshow.exe -nomouse - hides mouse cursor, disables mouse clicks, hides Navigation bar, disables double click. This option can be useful for a projection of EXE shows on AV competitions.

myshow.exe -icc auto | sRGB | AdobeRGB | anyprofile.icc - set color space for your show according your display

myshow.exe -noicc - disables loading of color profiles from JPEG and PNG images.

DVD-Video Disc - Video Builder

- PTE 10 doesn't include VideoBuilder for DVD output by default.
- For compatibility and for needs of existing users we included VideoBuilder as add-on:
 - In the Main menu > Publish > click DVD-Video disc (Shift+F1) (not in the Publish button menu)
 - PTE will offer download and install VideoBuilder in one click. It will take 5..20 seconds
 - $\circ\,$ Now DVD-Video output option will appear in the Publish button menu and in the main menu > Publish

For Players connected to a Television.

Click on Publish and DVD-Video Disc.

If the currently open project has not been edited since opening then you will be taken directly to the VideoBuilder interface. If the currently open project was created in an earlier version and not edited, it is recommended that you Save As a different version before entering the VideoBuilder.

If the currently open project was edited after opening then you will be prompted to Save the Project before continuing. You cannot proceed without saving so if you want to keep the original project intact then a Save As is required.

PicturesTo	Exe Deluxe X
?	"16x9_98" Project should be saved before adding to Video Builder. Do you want to save it now?
	Save Cancel

Add one or more Projects to the Project List by dragging from its location. The current project is added by default.

yuntitled - WnSoft Video Builder			
File Edit			
🗋 🚰 🔚 ╞ 🖙 Z:\			0
> S (C:) > Image: HP_RECOVERY (D:) Image: HP_RECOVERY (D:) Image: HP_RECOVERY (D:) Image: HP_RECOVERY (D:) Image: HP_RECOVERY (D:)			
 Copy of Z Drive (J:) New Volume (K:) MUSIC_HDD (L:) Removable Disk (M:) Removable Disk (N:) 	<>	3x2	3x2 Renamed
Removable Disk (0:) Scratch (S:)	Add Remove	Clear	
1. ProjectPublish.pte 2. Carousel I	DG.pte		
Project Options Create menu DVD	4.7 - 112 MB / 00:02:10		Kext Next >
Modified Selected files: 1 Z:\PTE\TEST	OBJECTS\Carousel DG.pte		

Click on (VideoBuilder) Project Options:

	Video options (720 x 576, 25 f	fps)
Project	TV system	PAL / SECAM 🔻
Program	Menu aspect ratio	16:9 ▼
	TV screen aspect ratio	16:9 ▼
	Bit rate	7000 📩 kbp
	Video type	Auto 👻
	🔽 Anti-flicker filter (for sli	deshows)
	Audio options (MPEG audio,	48 KHz, Stereo)
	Audio format	MPEG Audio 👻
	Bit rate	256 🔻 kbp
	Advanced options	
	📝 Repeat playback of a di	sc
	🔽 Return to menu after ea	ach title
	Add chapters	1 min
Set Defaults	-	OK Cance


- In the above example the Menu Aspect Ratio (AR) and the TV screen Aspect Ratio have both been altered from the Default 4:3 AR.
- Repeat playback of a disc is possible
- Return to menu after each title is also possible
- Chapters can be added at any desired interval.
- You can Restore Defaults whenever necessary

In the Program Tab of (Video Builder) Project Options you can set

- Idle Priority
- Location of Temporary Folder
- Click OK to exit Project Options

In the Video Builder Main Menu you can set "Create Menu".

Click on "Next".



- You can "Choose Template" from several presets and/or add your own
- Items allows you to organize multiple Project Icons into a variety of Column and Row configurations
- Hue, Saturation and Lightness allows you to change the color of the chosen Template
- Properties allows you to alter the Position, Size and Opacity of the Project Icon.
- You can also add a Drop Shadow
- Select Frame allows you to choose a frame in the video to show in the Project Icon
- You can add a Background Image to replace the Template and Customize it
- You can choose to Animate the Menu and set the duration of the menu
- You can add music to the the Menu and Customize it

Click on "Next"

Last update: 2023/08/11 10:49	en-us:11.0:main_menu_1	1:publish https://docs.pteavstu	udio.com/en-us/11.0/main_	_menu_1/publish?rev=1	.691750986
----------------------------------	------------------------	---------------------------------	---------------------------	-----------------------	------------

Project name			
ProjectPublish			
Create MPEG2 files			
Z:\PTE TEMP ISO FILES			
Create DVD folders			
Z:\PTE TEMP ISO FILES			
Create ISO image			
Z:\PTE TEMP ISO FILES			
Burn DVD disc			
Device:	Speed:	Label:	
(E:) - hp - BD E DH12E3LH	▼ 16.0x (22160 KB/se ▼	Untitled_140212	
Include additional folders and t	files to disc		

• You can give the Project a Name

You can select any of the following options:

- Create an MPEG2 file from the Project
- Create DVD Folders which can be burned to DVD in third party software
- Create an ISO File which can be burned to DVD in third party software (or played in Media Player Classic)
- Burn a DVD Disc. Details of your burner(s) and Speed of Burn are given.
- The DVD can be given a Label
- You can Include additional folders and files to the disc
- Click Start to begin the Burn

Add a User-Defined Template

In VideoBuilder:

- Tick the "Create Menu" box.
- In the Next Page, "Customize" an existing Template by adding your own Background Image in the Left Hand (Edit) section.
- Click on "Choose Template" and "Add a template" Save in a suitable location with a suitable name and all of the components of the existing menu Template are saved with the renamed "bg.jpg" Background Image.
- It (the Template) then becomes a choice when you "Choose Template".
- An alternative method would be to "Add Template" first and then edit it by changing the Background etc. The Button Style is determined by the current chosen Template when the "Add

Template" is pressed.

• Buttons can be created and saved in the "New Template" folder. They must be named "Play" etc and overwrite the existing Buttons

Create HTML5 Video

From: https://docs.pteavstudio.com/ - **PTE AV Studio**

Permanent link: https://docs.pteavstudio.com/en-us/11.0/main_menu_1/publish?rev=1691750986



Last update: 2023/08/11 10:49